


1 2 3 4 5 6 7 8

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

**SPECIFICATIONS**

**Electrical**  
 Current Rating: 2A AC(rms)/DC  
 Voltage Rating: 250V AC(rms)/DC  
 Contact Resistance: 20 mΩ Max  
 Insulation Resistance: 1000 MΩ Min  
 Withstanding Voltage: 500V AC r.m.s  
 Temperature Range-Operating: -40°C~+85°C


**Material and Plating**  
 Housing: Glass Filled Polyester (UL 94V-0)  
 Contact Pin: Brass  
 Plating: Gold Plated/Selective gold on contact area, tin on tail



**Ordering Information**

FFH 200 36 - D XX S X XX 4 K6 K  
 1 2 3 4 5 6 7 8 9 10 11

1 Category FFH-Female Header	2 Series Number 200-Pitch2.00mm	3 Distinction No. 36	4 Row Option D-Double Row	5 Circuits XX	6 Entry Angle S-180° Vertical
7 Plating 1-Gold Plated 3-Selective gold on contact area, tin on tail	8 Thickness of Plating 00-Gold Flash 05-5μ" Custom plate available	9 Material-Resin 4-PA6T	10 Color-Resin K6-Black	11 Packaging K-Tray	





Recommended P.C.Board Layout

<p>THIRD ANGLE PROJECTION</p>	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 04/JAN/17	PART NO. FFH20036-DXXSXXX4K6K	ITEM NO. FFH20036	<p>Leader Of Industry</p>	
	DESIGN UNITS Inch (metric)	X.±.012(0.30) X.X±.008(0.20) X.XX±.006(0.15) X.XXX±.004(0.10)	X.±5° .X'±2° .XX'±1° .XXX'±0.5°	CHECKED BY CHERRY	DATE 04/JAN/17	TITLE Board to Board (Female Header) Pitch 2mm 180° Vertical (DIP)		
SCALE 5:1	SIZE A4		DRAWN BY KATE	DATE 04/JAN/17	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		REV 0	SHEET NO. 1/2

1 2 3 4 5 6 7 8

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

Circuits (n)	Part No.	Dimensions(in/mm)		Circuits (n)	Part No.	Dimensions(in/mm)	
		A	B			A	B
2	FFH20036-D02SXXX4K6K	-	.102(2.60)	42	FFH20036-D42SXXX4K6K	1.575(40.00)	1.677(42.60)
4	FFH20036-D04SXXX4K6K	.079(2.00)	.181(4.60)	44	FFH20036-D44SXXX4K6K	1.654(42.00)	1.756(44.60)
6	FFH20036-D06SXXX4K6K	.157(4.00)	.260(6.50)	46	FFH20036-D46SXXX4K6K	1.732(44.00)	1.835(46.60)
8	FFH20036-D08SXXX4K6K	.236(6.00)	.339(8.60)	48	FFH20036-D48SXXX4K6K	1.811(46.00)	1.913(48.60)
10	FFH20036-D10SXXX4K6K	.315(8.00)	.417(10.60)	50	FFH20036-D50SXXX4K6K	1.890(48.00)	1.992(50.60)
12	FFH20036-D12SXXX4K6K	.394(10.00)	.496(12.0)	52	FFH20036-D52SXXX4K6K	1.969(50.00)	2.071(52.60)
14	FFH20036-D14SXXX4K6K	.472(12.00)	.575(14.60)	54	FFH20036-D54SXXX4K6K	2.047(52.00)	2.150(54.60)
16	FFH20036-D16SXXX4K6K	.551(14.00)	.654(16.60)	56	FFH20036-D56SXXX4K6K	2.126(54.00)	2.228(56.60)
18	FFH20036-D18SXXX4K6K	.630(16.00)	.732(18.60)	58	FFH20036-D58SXXX4K6K	2.205(56.00)	2.307(58.60)
20	FFH20036-D20SXXX4K6K	.709(18.00)	.811(20.60)	60	FFH20036-D60SXXX4K6K	2.283(58.00)	2.386(60.60)
22	FFH20036-D22SXXX4K6K	.787(20.00)	.890(22.60)	62	FFH20036-D62SXXX4K6K	2.362(60.00)	2.465(62.60)
24	FFH20036-D24SXXX4K6K	.866(22.00)	.969(24.60)	64	FFH20036-D64SXXX4K6K	2.441(62.00)	2.543(64.60)
26	FFH20036-D26SXXX4K6K	.945(24.00)	1.047(26.60)	66	FFH20036-D66SXXX4K6K	2.520(64.00)	2.622(66.60)
28	FFH20036-D28SXXX4K6K	1.024(26.00)	1.126(28.60)	68	FFH20036-D68SXXX4K6K	2.598(66.00)	2.701(68.60)
30	FFH20036-D30SXXX4K6K	1.102(28.00)	1.205(30.60)	70	FFH20036-D70SXXX4K6K	2.677(68.00)	2.780(70.60)
32	FFH20036-D32SXXX4K6K	1.181(30.00)	1.283(32.60)	72	FFH20036-D72SXXX4K6K	2.756(70.00)	2.858(72.60)
34	FFH20036-D34SXXX4K6K	1.260(32.00)	1.362(34.60)	74	FFH20036-D74SXXX4K6K	2.835(72.00)	2.937(74.60)
36	FFH20036-D36SXXX4K6K	1.339(34.00)	1.441(36.60)	76	FFH20036-D76SXXX4K6K	2.913(74.00)	3.016(76.60)
38	FFH20036-D38SXXX4K6K	1.417(36.00)	1.520(38.60)	78	FFH20036-D78SXXX4K6K	2.992(76.00)	3.094(78.60)
40	FFH20036-D40SXXX4K6K	1.496(38.00)	1.598(40.60)	80	FFH20036-D80SXXX4K6K	3.071(78.00)	3.173(80.60)

 THIRD ANGLE PROJECTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 04/JAN/17	PART NO. FFH20036-DXXSXXX4K6K	ITEM NO. FFH20036	 Leader Of Industry	
	DESIGN UNITS Inch (metric)	X.±.012(0.30)	X.±5'	CHECKED BY CHERRY	DATE 04/JAN/17	TITLE Board to Board (Female Header) Pitch 2mm 180° Vertical (DIP)		REV 0
SCALE 5:1	SIZE A4	X.XX±.006(0.15)	.XX'±1'	DRAWN BY KATE	DATE 04/JAN/17	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
		X.XXX±.004(0.10)	.XXX'±0.5'					