


1 2 3 4 5 6 7 8

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD





SPECIFICATIONS

Electrical

Current Rating: 1.0A AC(rms)/DC
 Voltage Rating: 250V AC(rms)/DC
 Contact Resistance: 20 mΩMax
 Insulation Resistance: 1000 MΩ MIN
 Withstanding Voltage: 600V AC r.m.s
 Temperature Range—Operating: -40°C~+105°C

Material and Plating


Housing: Glass Filled Polyester(UL 94V-0) ,Colour: Black
 Pin: Brass/ Gold Plated



Ordering Information

FPH 127 40 - D XX S 1 XX 4 XX XX X 0 B
 1 2 3 4 5 6 7 8 9 10 11 12 13

Category FPH—Pin Header	Series Number 127—Pitch1.27mm	Distinction No. 40	Row Option D—Double Row	Circuits XX	Entry Angle S—180° Vertical	Plating 1—Gold plated
Thickness of Plating 01—1μ" 15—15μ" Custom plate available	Material—Resin 4—PA6T	E Size 01,02...—Serial number (See Table1)	F Size 01,02...—Serial number (See Table1)	H Size 1,2...—Serial number (See Table1)	Packaging B—PE Bag	



Recommended P.C.Board Layout

<p>THIRD ANGLE PROJECTION</p>	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 17/DEC/19	PART NO. FPH12740-DXXS1XX4XXXXX0B	ITEM NO. FPH12740	<p>Leader Of Industry</p>
	X.±.012(0.30)	X.±5'	CHECKED BY CHERRY	DATE 17/DEC/19	TITLE Board to Board(Pin Header) Pitch 1.27*2.54mm 180° Vertical(DIP)	REV 0	
DESIGN UNITS Inch (metric)	X.X±.008(0.20)	.X'±2'	DRAWN BY ZOEY	DATE 17/DEC/19	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
SCALE 5:1	SIZE A4	X.XX±.006(0.15)					
		X.XXX±.004(0.10)					


1 2 3 4 5 6 7 8

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

Table1

Serial number	Dimensions (in/mm) E	Serial number	Dimensions (in/mm) E
01	.059(1.50)	19	.236(6.00)
02	.069(1.75)	20	.246(6.25)
03	.079(2.00)	21	.256(6.50)
04	.089(2.25)	22	.266(6.75)
05	.098(2.50)	23	.276(7.00)
06	.108(2.75)	24	.285(7.25)
07	.118(3.00)	25	.295(7.50)
08	.128(3.25)	26	.305(7.75)
09	.138(3.50)	27	.315(8.00)
10	.148(3.75)	28	.325(8.25)
11	.157(4.00)	29	.335(8.50)
12	.167(4.25)	30	.344(8.75)
13	.177(4.50)	31	.354(9.00)
14	.187(4.75)	32	.364(9.25)
15	.197(5.00)	33	.374(9.50)
16	.207(5.25)	34	.384(9.75)
17	.217(5.50)	35	.394(10.00)
18	.226(5.75)	36	

Serial number	Dimensions (in/mm) F	Serial number	Dimensions (in/mm) F
01	.059(1.50)	19	.236(6.00)
02	.069(1.75)	20	.246(6.25)
03	.079(2.00)	21	.256(6.50)
04	.089(2.25)	22	.266(6.75)
05	.098(2.50)	23	.276(7.00)
06	.108(2.75)	24	.285(7.25)
07	.118(3.00)	25	.295(7.50)
08	.128(3.25)	26	.305(7.75)
09	.138(3.50)	27	.315(8.00)
10	.148(3.75)	28	.325(8.25)
11	.157(4.00)	29	.335(8.50)
12	.167(4.25)	30	.344(8.75)
13	.177(4.50)	31	.354(9.00)
14	.187(4.75)	32	.364(9.25)
15	.197(5.00)	33	.374(9.50)
16	.207(5.25)	34	.384(9.75)
17	.217(5.50)	35	.394(10.00)
18	.226(5.75)	36	





Serial number	Dimensions(in/mm) H
4	.098(2.50)

<p>THIRD ANGLE PROJECTION</p>	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 17/DEC/19	PART NO. FPH12740-DXXSXXX4XXXXX0B	ITEM NO. FPH12740	<p>Leader Of Industry</p>
	DESIGN UNITS Inch (metric)	X.±.012(0.30)	X:±5'	CHECKED BY CHERRY	DATE 17/DEC/19	TITLE Board to Board(Pin Header) Pitch 1.27*2.54mm 180° Vertical(DIP)	
		SCALE 5:1	SIZE A4	X.XX±.006(0.15)	.XX'±1'	DRAWN BY ZOEY	DATE 17/DEC/19
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

Circuits (n)	Part No.	Dimensions(in/mm)		Circuits (n)	Part No.	Dimensions(in/mm)	
		A	B			A	B
2	FPH12740-D02SXXX4XXXXX0B	—	.050(1.27)	42	FPH12740-D42SXXX4XXXXX0B	1.000(25.40)	1.050(26.67)
4	FPH12740-D04SXXX4XXXXX0B	.050(1.27)	.100(2.54)	44	FPH12740-D44SXXX4XXXXX0B	1.050(26.67)	1.100(27.94)
6	FPH12740-D06SXXX4XXXXX0B	.100(2.54)	.150(3.81)	46	FPH12740-D46SXXX4XXXXX0B	1.100(27.94)	1.150(29.21)
8	FPH12740-D08SXXX4XXXXX0B	.150(3.81)	.200(5.08)	48	FPH12740-D48SXXX4XXXXX0B	1.150(29.21)	1.200(30.48)
10	FPH12740-D10SXXX4XXXXX0B	.200(5.08)	.250(6.35)	50	FPH12740-D50SXXX4XXXXX0B	1.200(30.48)	1.250(31.75)
12	FPH12740-D12SXXX4XXXXX0B	.250(6.35)	.300(7.62)	52	FPH12740-D52SXXX4XXXXX0B	1.250(31.75)	1.300(33.02)
14	FPH12740-D14SXXX4XXXXX0B	.300(7.62)	.350(8.89)	54	FPH12740-D54SXXX4XXXXX0B	1.300(33.02)	1.350(34.29)
16	FPH12740-D16SXXX4XXXXX0B	.350(8.89)	.400(10.16)	56	FPH12740-D56SXXX4XXXXX0B	1.350(34.29)	1.400(35.56)
18	FPH12740-D18SXXX4XXXXX0B	.400(10.16)	.450(11.43)	58	FPH12740-D58SXXX4XXXXX0B	1.400(35.56)	1.450(36.83)
20	FPH12740-D20SXXX4XXXXX0B	.450(11.43)	.500(12.70)	60	FPH12740-D60SXXX4XXXXX0B	1.450(36.83)	1.500(38.10)
22	FPH12740-D22SXXX4XXXXX0B	.500(12.70)	.550(13.97)	62	FPH12740-D62SXXX4XXXXX0B	1.500(38.10)	1.550(39.37)
24	FPH12740-D24SXXX4XXXXX0B	.550(13.97)	.600(15.24)	64	FPH12740-D64SXXX4XXXXX0B	1.550(39.37)	1.600(40.64)
26	FPH12740-D26SXXX4XXXXX0B	.600(15.24)	.650(16.51)	66	FPH12740-D66SXXX4XXXXX0B	1.600(40.64)	1.650(41.91)
28	FPH12740-D28SXXX4XXXXX0B	.650(16.51)	.700(17.78)	68	FPH12740-D68SXXX4XXXXX0B	1.650(41.91)	1.700(43.18)
30	FPH12740-D30SXXX4XXXXX0B	.700(17.78)	.750(19.05)	70	FPH12740-D70SXXX4XXXXX0B	1.700(43.18)	1.750(44.45)
32	FPH12740-D32SXXX4XXXXX0B	.750(19.05)	.800(20.32)	72	FPH12740-D72SXXX4XXXXX0B	1.750(44.45)	1.800(45.72)
34	FPH12740-D34SXXX4XXXXX0B	.800(20.32)	.850(21.59)	74	FPH12740-D74SXXX4XXXXX0B	1.800(45.72)	1.850(46.99)
36	FPH12740-D36SXXX4XXXXX0B	.850(21.59)	.900(22.86)	76	FPH12740-D76SXXX4XXXXX0B	1.850(46.99)	1.900(48.26)
38	FPH12740-D38SXXX4XXXXX0B	.900(22.86)	.950(24.13)	78	FPH12740-D78SXXX4XXXXX0B	1.900(48.26)	1.950(49.53)
40	FPH12740-D40SXXX4XXXXX0B	.950(24.13)	1.00(25.40)	80	FPH12740-D80SXXX4XXXXX0B	1.950(49.53)	2.000(50.80)

 THIRD ANGLE PROJECTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 17/DEC/19	PART NO. FPH12740-DXXSXXX4XXXXX0B	ITEM NO. FPH12740	 Leader Of Industry	
	X.±.012(0.30)	X.±5'	CHECKED BY CHERRY	DATE 17/DEC/19	TITLE Board to Board(Pin Header) Pitch 1.27*2.54mm 180° Vertical(DIP)	REV 0		SHEET NO. 3/3
	DESIGN UNITS Inch (metric)	X.X±.008(0.20)	.X'±2'	DRAWN BY ZOEY	DATE 17/DEC/19	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
	SCALE 5:1	SIZE A4	X.XX±.006(0.15)	.XX'±1'	X.XXX±.004(0.10)	.XX'±0.5'		