





Dimensions(in/mm)	
H	K
.039(1.00)	.077(1.95)
.059(1.50)	.047(1.20)
.079(2.00)	.047(1.20)

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

SPECIFICATIONS

Electrical
 Current Rating: 2.0A AC(rms)/DC
 Voltage Rating: 250V AC(rms)/DC
 Contact Resistance: 20 mΩ Max
 Insulation Resistance: 1000 MΩ Min
 Withstanding Voltage: 600V AC r.m.s
 Temperature Range—Operating: -40°C~+105°C

Material
 Housing: Glass Filled Polyester (UL 94V-0), Color: Black
 Pin: Brass
 Pin Plating: Gold plated/ Selective gold plated on contact area and 120μ" Min. matte tin plated on tails area



Recommended P.C.Board Layout

Ordering Information

FPH 200 70 - D XX S X XX 4 XX XX X 0 X
 1 2 3 4 5 6 7 8 9 10 11 12 13

1 <u>Category</u> FPH-Pin Header	2 <u>Series Number</u> 200-Pitch2.00mm	3 <u>Distinction No.</u> 70	4 <u>Row Option</u> D-Double Row	5 <u>Circuits</u> XX	6 <u>Entry Angle</u> S-180° Vertical	7 <u>Plating</u> 1-Gold plated 7-Selective gold plated on contact area and matte tin plated on tails area
8 <u>Thickness of Plating</u> 01-1μ" 15-15μ" Custom plate available	9 <u>Material-Resin</u> 4-PA6T	10 <u>E Size</u> 01,02...-Serial number (See Table1)	11 <u>G Size</u> 01,02...-Serial number (See Table1)	12 <u>H Size</u> 1,2...-Serial number (See Table1)	13 <u>Packaging</u> M-Reel L-Tube	

 THIRD ANGLE PROJECTION DESIGN UNITS Inch (metric) SCALE 5:1 SIZE A4	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 23/DEC/19	PART NO. FPH20070-DXXSXX4XXXXXX0X	ITEM NO. FPH20070	 Leader Of Industry	
	X.±.012(0.30)	.X'±5'	CHECKED BY CHERRY	DATE 23/DEC/19	TITLE Board to Board(Pin Header) Pitch 2.00mm 180° Vertical(SMT)			REV 0
	X.X±.008(0.20)	.X'±2'	DRAWN BY ZOEY	DATE 23/DEC/19	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	X.XX±.006(0.15)	.XX'±1'						


REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

Table1

Serial number	Dimensions (in/mm) E	Serial number	Dimensions (in/mm) E
01	.059(1.50)	19	.236(6.00)
02	.069(1.75)	20	.246(6.25)
03	.079(2.00)	21	.256(6.50)
04	.089(2.25)	22	.266(6.75)
05	.098(2.50)	23	.276(7.00)
06	.108(2.75)	24	.285(7.25)
07	.118(3.00)	25	.295(7.50)
08	.128(3.25)	26	.305(7.75)
09	.138(3.50)	27	.315(8.00)
10	.148(3.75)	28	.325(8.25)
11	.157(4.00)	29	.335(8.50)
12	.167(4.25)	30	.344(8.75)
13	.177(4.50)	31	.354(9.00)
14	.187(4.75)	32	.364(9.25)
15	.197(5.00)	33	.374(9.50)
16	.207(5.25)	34	.384(9.75)
17	.217(5.50)	35	.394(10.00)
18	.226(5.75)		

Serial number	Dimensions (in/mm) G
05	.217(5.50)
06	.226(5.75)
07	.236(6.00)
08	.246(6.25)
09	.256(6.50)
10	.266(6.75)
11	.276(7.00)
12	.285(7.25)
13	.295(7.50)
14	.305(7.75)
15	.315(8.00)
16	.325(8.25)
17	.335(8.50)
18	.344(8.75)
19	.354(9.00)
20	.364(9.25)
21	.374(9.50)
22	.384(9.75)
23	.394(10.00)

Only for
H=.079(2.00)





Serial number	Dimensions(in/mm) H
1	.039(1.00)
2	.059(1.50)
3	.079(2.00)

<p>THIRD ANGLE PROJECTION</p>	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 23/DEC/19	PART NO. FPH20070-DXXSXXX4XXXXXX0X	ITEM NO. FPH20070	<p>Leader Of Industry</p>	
	DESIGN UNITS Inch (metric)	X.±.012(0.30)	X.'±5'	CHECKED BY CHERRY	DATE 23/DEC/19	TITLE Board to Board(Pin Header) Pitch 2.00mm 180° Vertical(SMT)		REV 0
	SCALE 5:1	SIZE A4	X.XX±.008(0.20)	X.'±2'	DRAWN BY ZOEY	DATE 23/DEC/19	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
			X.XX±.006(0.15)	.XX'±1'				

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

Circuits (n)	Part No.	Dimensions(in/mm)		Circuits (n)	Part No.	Dimensions(in/mm)	
		A	B			A	B
4	FPH20070-D06SXXX4XXXXX0X	.079(2.00)	.157(4.00)	44	FPH20070-D44SXXX4XXXXX0X	1.654(42.00)	1.732(44.00)
6	FPH20070-D06SXXX4XXXXX0X	.157(4.00)	.236(6.00)	46	FPH20070-D46SXXX4XXXXX0X	1.732(44.00)	1.811(46.00)
8	FPH20070-D08SXXX4XXXXX0X	.236(6.00)	.315(8.00)	48	FPH20070-D48SXXX4XXXXX0X	1.811(46.00)	1.890(48.00)
10	FPH20070-D10SXXX4XXXXX0X	.315(8.00)	.394(10.00)	50	FPH20070-D50SXXX4XXXXX0X	1.890(48.00)	1.969(50.00)
12	FPH20070-D12SXXX4XXXXX0X	.394(10.00)	.472(12.00)	52	FPH20070-D52SXXX4XXXXX0X	1.969(50.00)	2.047(52.00)
14	FPH20070-D14SXXX4XXXXX0X	.472(12.00)	.551(14.00)	54	FPH20070-D54SXXX4XXXXX0X	2.047(52.00)	2.126(54.00)
16	FPH20070-D16SXXX4XXXXX0X	.551(14.00)	.630(16.00)	56	FPH20070-D56SXXX4XXXXX0X	2.126(54.00)	2.205(56.00)
18	FPH20070-D18SXXX4XXXXX0X	.630(16.00)	.709(18.00)	58	FPH20070-D58SXXX4XXXXX0X	2.205(56.00)	2.283(58.00)
20	FPH20070-D20SXXX4XXXXX0X	.709(18.00)	.787(20.00)	60	FPH20070-D60SXXX4XXXXX0X	2.283(58.00)	2.362(60.00)
22	FPH20070-D22SXXX4XXXXX0X	.787(20.00)	.866(22.00)	62	FPH20070-D62SXXX4XXXXX0X	2.362(60.00)	2.441(62.00)
24	FPH20070-D24SXXX4XXXXX0X	.866(22.00)	.945(24.00)	64	FPH20070-D64SXXX4XXXXX0X	2.441(62.00)	2.520(64.00)
26	FPH20070-D26SXXX4XXXXX0X	.945(24.00)	1.024(26.00)	66	FPH20070-D66SXXX4XXXXX0X	2.520(64.00)	2.598(66.00)
28	FPH20070-D28SXXX4XXXXX0X	1.024(26.00)	1.102(28.00)	68	FPH20070-D68SXXX4XXXXX0X	2.598(66.00)	2.677(68.00)
30	FPH20070-D30SXXX4XXXXX0X	1.102(28.00)	1.181(30.00)	70	FPH20070-D70SXXX4XXXXX0X	2.677(68.00)	2.756(70.00)
32	FPH20070-D32SXXX4XXXXX0X	1.181(30.00)	1.260(32.00)	72	FPH20070-D72SXXX4XXXXX0X	2.756(70.00)	2.835(72.00)
34	FPH20070-D34SXXX4XXXXX0X	1.260(32.00)	1.339(34.00)	74	FPH20070-D74SXXX4XXXXX0X	2.835(72.00)	2.913(74.00)
36	FPH20070-D36SXXX4XXXXX0X	1.339(34.00)	1.417(36.00)	76	FPH20070-D76SXXX4XXXXX0X	2.913(74.00)	2.992(76.00)
38	FPH20070-D38SXXX4XXXXX0X	1.417(36.00)	1.496(38.00)	78	FPH20070-D78SXXX4XXXXX0X	2.992(76.00)	3.071(78.00)
40	FPH20070-D40SXXX4XXXXX0X	1.496(38.00)	1.574(40.00)	80	FPH20070-D80SXXX4XXXXX0X	3.071(78.00)	3.150(80.00)
42	FPH20070-D42SXXX4XXXXX0X	1.574(40.00)	1.654(42.00)				

 THIRD ANGLE PROJECTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 23/DEC/19	PART NO. FPH20070-DXXSXXX4XXXXX0X	ITEM NO. FPH20070	 Leader Of Industry
	DESIGN UNITS Inch (metric)	X.±.012(0.30) X.X±.008(0.20) X.XX±.006(0.15) X.XXX±.004(0.10)	X:±5' .X'±2' .XX'±1' .XXX'±0.5'	CHECKED BY CHERRY	DATE 23/DEC/19	TITLE Board to Board(Pin Header) Pitch 2.00mm 180° Vertical(SMT)	
SCALE 5:1	SIZE A4		DRAWN BY ZOEY	DATE 23/DEC/19	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		