


1 2 3 4 5 6 7 8

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

Notes:

- 1. Material: Phosphor Bronze C5191
- 2. Plating: Tin-Plated
- 3. Wire Range: 26AWG~30AWG
- 4. Insulation Nom. Dia: $\phi 0.035$ ($\phi 0.9$ mm Max)
- 5. Applicable Housing: FHG15004Series
- 6. Minimum Order Quantity : 20,000 PCS



Ordering Information

FT 150 05 — M 2 H
 1 2 3 4 5 6

1 Category 2 Series Number 3 Distinction No. 4 Type 5 Plating 6 Packaging
 FT-Terminal 150-Pitch1.50mm 05 M-Male 2-Tin Plated All H-Paper Axis




<p>THIRD ANGLE PROJECTION</p>	<p>GENERAL TOLERANCES (UNLESS SPECIFIED)</p>		<p>APPROVE BY LEO</p>	<p>DATE 30/JAN/23</p>	<p>PART NO. FT15005-M2H</p>	<p>ITEM NO. FT15005</p>	<p>Building Technology Cornerstone</p>		
	X. ±0.30	X.' ±5'	<p>CHECKED BY GISELLE</p>	<p>DATE 30/JAN/23</p>	<p>TITLE TERMINAL PITCH:.059 (1.50mm)</p>			<p>REV 0</p>	<p>SHEET NO. 1/2</p>
	X.X ±0.20	X.X' ±2'	<p>DRAWN BY MATT</p>	<p>DATE 30/JAN/23</p>	<p>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</p>				
<p>SCALE 5:1</p>	<p>SIZE A4</p>	X.XX ±0.15	X.XX' ±1'	X.XXX ±0.10	X.XXX' ±0.5'				

1 2 3 4 5 6 7 8


1 2 3 4 5 6 7 8

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

A
B
C
D
E
F



20,000Pcs/Reel



<p>THIRD ANGLE PROJECTION</p>	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY	DATE	PART NO.	ITEM NO.	<p>Building Technology Cornerstone</p>
	X. ±0.30	X.' ±5'	LEO	30/JAN/23	FT15005-M2H	FT15005	
	X.X ±0.20	X.X' ±2'	CHECKED BY	DATE	TITLE		REV 0
	X.XX ±0.15	X.XX' ±1'	GISELLE	30/JAN/23	TERMINAL PITCH: .059 (1.50mm)		SHEET NO. 2/2
SCALE	SIZE	X.XXX ±0.10	X.XXX' ±0.5'	DRAWN BY	DATE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
5:1	A4			MATT	30/JAN/23		

1 2 3 4 5 6 7 8