


REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

Electrical

Current Rating: 5.0A AC(rms)/DC
Voltage Rating: 250V AC(rms)/DC
Contact Resistance: 10 mΩ Max
Insulation Resistance: 1000 MΩ MIN
Withstanding Voltage: 1500V AC r.m.s
Temperature Range-Operating: -40°C~+105°C

Material and Plating

Housing: LCP(UL 94V-0)
Contact Pin: Brass/ Tin Plated
Solder tab: Brass/ Tin Plated



 THIRD ANGLE PROJECTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY	DATE	PART NO.	ITEM NO.	 Leader Of Industry	
	X.±.012(0.30)	.X'±5'	FRANK	01/JUL/13	FWF30025-DXXB23BKM	WF30025		
	DESIGN UNITS Inch (metric)	X.X±.008(0.20)	.X'±2'	CHECKED BY	DATE	TITLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
	SCALE 5:1	X.XX±.006(0.15)	.XX'±1'	CHERRY	01/JUL/13	3.0 Pitch Conn		
SIZE A4	X.XXX±.004(0.10)	.XXX'±0.5'	DRAWN BY	DATE			REV 0	SHEET NO. 1/3
			JACOB	01/JUL/13				

1 2 3 4 5 6 7 8

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD

A

B



C

D

E

F

Circuits(n)	Part No.	Dimensions(in/mm)		
		A	B	C
2	FWF30025-D02B23BKM	—	6.65	1.05
4	FWF30025-D04B23BKM	3.00	9.65	1.05
6	FWF30025-D06B23BKM	6.00	12.65	1.05
8	FWF30025-D08B23BKM	9.00	15.65	5.84
10	FWF30025-D10B23BKM	12.00	18.65	8.84
12	FWF30025-D12B23BKM	15.00	21.65	11.84
14	FWF30025-D14B23BKM	18.00	24.65	14.84
16	FWF30025-D16B23BKM	21.00	27.65	17.84
18	FWF30025-D18B23BKM	24.00	30.65	20.84
20	FWF30025-D20B23BKM	27.00	33.65	23.84
22	FWF30025-D22B23BKM	30.00	36.65	26.84
24	FWF30025-D24B23BKM	33.00	39.65	29.84


 THIRD ANGLE PROJECTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY FRANK	DATE 01/JUL/13	PART NO. FWF30025-DXXB23BKM	ITEM NO. WF30025	 Leader Of Industry	
	X.±.012(0.30)	X.±5'	CHECKED BY CHERRY	DATE 01/JUL/13	TITLE 3.0 Pitch Conn			REV 0
	DESIGN UNITS Inch (metric)	X.X±.008(0.20)	.X'±2'	DRAWN BY JACOB	DATE 01/JUL/13	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
	SCALE 5:1	SIZE A4	X.XX±.006(0.15)	.XX'±1'	X.XXX±.004(0.10)	.XXX'±0.5'		

1 2 3 4 5 6 7 8





1 2 3 4 5 6 7 8

REV	LOCATIONS	DESCRIPTION	DATE	REVISER	APPD








A



B



C



D

E

F

<p>THIRD ANGLE PROJECTION</p>	GENERAL TOLERANCES (UNLESS SPECIFIED)		APPROVE BY	DATE	PART NO.	ITEM NO.	<p>Leader Of Industry</p>	
	X.±.012(0.30)	X.±5'	FRANK	01/JUL/13	FWF30025-DXXB23BKM	WF30025		
	DESIGN UNITS Inch (metric)	X.X±.008(0.20)	.X'±2'	CHECKED BY	DATE	TITLE		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO TXGA INDUSTRIAL ELECTRONICS(S.Z)CO.,LTD AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
	SCALE	X.XX±.006(0.15)	.XX'±1'	CHERRY	01/JUL/13	3.0 Pitch Conn		
SIZE	X.XXX±.004(0.10)	.XXX'±0.5'	DRAWN BY	DATE	REV 0		SHEET NO. 3/3	
5:1	A4		JACOB	01/JUL/13				

1 2 3 4 5 6 7 8